



2009

Japan


TB statistics in 2009	
Population	127,509,567
Foreigners	938 3.9%
Estimated homeless or poor TB among male cases aged 30-59 yrs	488 12.0%

Trends	'05	'06	'07	'08	'09
Notified cases	28,319	26,384	25,311	24,760	24,170
Rate per 100,000	22.2	20.6	19.8	19.4	19.0
Sputum smear pos. pul. cases	11,318	10,492	10,204	9,809	9,675
Rate per 100,000	8.9	8.2	8.0	7.7	7.6


Age-sex composition of notified cases, 2009




Proportion of cases with long case finding delay (>3M) among symptomatic pul. TB †




Proportion of Tx with HRZ-E/S among all forms of TB cases aged under 80 yrs ‡




Proportion of bacillary cases among pul. TB




Proportion of culture results obtained among pul. TB



Proportion of DST results obtained among culture pos. pul. TB



Treatment outcomes of new sputum smear-pos. pul. cases registered in 2006-2008



	'05	'06	'07	'08	'09
† Excluding unk delay (%)	12.4	11.2	26.7	36.9	38.2
‡ Excluding unk Tx (%)	6.8	7.3	4.0	4.1	2.9

Registered year	'07	'08
Median days of treatment (all forms)	273	272
Median days of hospitalization (pul. TB)	65	67