




| | |
|--|---------------|
| TB statistics in 2014 (Population in Miyagi 1,256,885) | |
| Among newly registered : (Japan) | |
| Foreign borns | 1 0.9% (5.6%) |
| TB cases with homeless history | 1 0.9% (1.1%) |
| Male aged 35-59, without job and receiving public assistance | 0 0.0% (8.0%) |


| Trends | '10 | '11 | '12 | '13 | '14 |
|-------------------------------|------|-----|-----|-----|-----|
| Notified cases | 140 | 110 | 120 | 122 | 107 |
| Rate per 100,000 population | 10.8 | 8.6 | 9.5 | 9.7 | 8.5 |
| Sputum smear +ve. pul.cases | 54 | 35 | 48 | 46 | 47 |
| Rate per 100,000 population | 4.1 | 2.7 | 3.8 | 3.7 | 3.7 |
| Latent Tuberculosis Infection | 24 | 66 | 88 | 80 | 61 |
| Rate per 100,000 population | 1.8 | 5.2 | 6.9 | 6.4 | 4.9 |




Proportion of cases with total diagnosis delay(> 3 mths) among symptomatic PTB*




Proportion of TX with HRZ-E/S among all forms of TB cases aged under 80 yrs †




Proportion of Bacteriologically +ve. PTB




Median duration of treatment of all forms and hospitalization among PTB




Proportion of culture results obtained among PTB



Treatment outcomes of new sputum smear +ve.TB



Proportion of DST results obtained among culture +ve. PTB



PTB : pumonary TB

| | | | | | |
|------------------------------|------|------|------|------|------|
| † Excluding unknown delay(%) | '10 | '11 | '12 | '13 | '14 |
| | 68.9 | 59.0 | 56.1 | 52.8 | 36.4 |

| | | | | | |
|---------------------------|-----|------|-----|-----|-----|
| ‡ Excluding unknown Tx(%) | '10 | '11 | '12 | '13 | '14 |
| | 2.3 | 10.6 | 7.2 | 3.0 | 1.9 |