










| | |
|--|----------------|
| TB statistics in 2012 (Population in Ehime 1,414,846) | |
| Among newly registered : (Japan) | |
| Foreign borns | 6 3.2% (5.0%) |
| TB cases with homeless history | 0 0.0% (1.6%) |
| Male aged 35-59,without job and receiveing public assistance | 0 0.0% (10.8%) |

| Trends | '08 | '09 | '10 | '11 | '12 |
|-------------------------------|------|------|------|------|------|
| Notified cases | 220 | 232 | 276 | 218 | 189 |
| Rate per 100,000 population | 15.2 | 16.2 | 19.3 | 15.3 | 13.4 |
| Sputum smear +ve. pul.cases | 75 | 90 | 105 | 88 | 77 |
| Rate per 100,000 population | 5.2 | 6.3 | 7.3 | 6.2 | 5.4 |
| Latent Tuberculosis Infection | 24 | 43 | 19 | 58 | 23 |
| Rate per 100,000 population | 1.7 | 3.0 | 1.3 | 4.1 | 1.6 |



Proportion of cases with total diagnosis delay(> 3 mths) among symptomatic PTB



PTB : pumonary TB

| | | | | | |
|------------------------------|------|------|------|------|------|
| † Excluding unknown delay(%) | '08 | '09 | '10 | '11 | '12 |
| | 11.1 | 31.0 | 41.5 | 11.9 | 16.7 |

| | | | | | |
|---------------------------|-----|-----|-----|-----|-----|
| ‡ Excluding unknown Tx(%) | '08 | '09 | '10 | '11 | '12 |
| | 2.1 | 0.7 | 1.7 | 1.4 | 1.9 |