



Monthly Report of Tuberculosis Surveillance, Japan - June, 2025

The reporting and recording of tuberculosis (TB) and Latent TB Infection (LTBI) are managed at public health centers (PHCs) by the nationwide computerized TB surveillance system in Japan. A monthly report is compiled from the database automatically and regularly on 4th Friday of the next month, and an annual report is also produced much like the monthly report, but with sufficient time for data correction.

Tables and figures shown in the monthly reports are as follows.

Figures

Figure 1. Number of newly notified TB cases by month, Japan, 2022-2025

Figure 2. Newly notified TB cases by sex and age, Japan, summation (Jan. -Jun.) 2025

Figure 3. Notification rate of TB cases by sex and age, Japan, summation (Jan. -Jun.) 2025

Figure 4. Notification rate of TB by prefecture, Japan, summation (Jan. -Jun.) 2025

Figure 5. Notification rate of TB by major city, Japan, summation (Jan. -Jun.) 2025

Figure 6. Number of LTBI, Japan, 2022-2025

Figure 7. Number of LTBI by sex and age group, Japan, summation (Jan. -Jun.) 2025

Tables

Table 1. Newly notified TB cases and rates by sex and age, Japan, 2025

Table 2. Newly notified sputum smear positive pulmonary TB cases and rates by sex and age, Japan, 2025

Table 3. Newly notified TB cases and rates by prefecture, Japan, 2025

Table 4. Newly notified TB cases and rates by major city, Japan, 2025

Table 5. LTBI cases and rates by sex and age, Japan, 2025

Table 6. LTBI cases and rates by prefecture, Japan, 2025

Table 7. LTBI cases and rates by major city, Japan, 2025

Figure 1. Number of newly notified TB cases by month, Japan, 2022-2025




Figure 2. Newly notified TB patients by sex and age, Japan, summation (Jan.-Jun.) 2025




Figure 3. Notification rate of TB cases by sex and age, Japan, summation (Jan.-Jun.) 2025




Figure 4. Notification rates of TB by prefecture, Japan, summation (Jan.-Jun.) 2025




Figure 5. Notification rates of TB major city, Japan, summation (Jan.-Jun.) 2025




Figure 6.Number of LTBI, Japan, 2022-2025




Figure 7. Number of LTBI by sex and age group, Japan, summation (Jan.-Jun.) 2025




Table 1. Newly notified TB cases and rates by sex and age, Japan, 2025

	Jun.			Summation (Jan.-Jun.)			Notification rate (per 100,000)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	770	438	332	4,505	2,596	1,909	7.3	8.6	6.0
0~4	6	2	4	12	4	8	0.6	0.4	0.8
5~9	2	1	1	4	2	2	0.2	0.2	0.2
10~14	0	0	0	2	2	0	0.1	0.2	0.0
15~19	6	3	3	55	29	26	2.0	2.1	2.0
20~24	81	48	33	370	207	163	11.8	12.8	10.8
25~29	74	38	36	311	160	151	9.5	9.5	9.5
30~34	29	11	18	163	85	78	5.1	5.2	5.0
35~39	16	4	12	87	47	40	2.5	2.7	2.4
40~44	14	10	4	82	48	34	2.1	2.5	1.8
45~49	23	13	10	121	69	52	2.8	3.1	2.4
50~54	22	16	6	175	108	67	3.6	4.4	2.8
55~59	24	18	6	148	109	39	3.5	5.1	1.8
60~64	25	19	6	160	105	55	4.2	5.6	2.9
65~69	37	29	8	198	126	72	5.4	7.1	3.9
70~74	45	29	16	278	191	87	6.8	9.9	4.0
75~79	73	45	28	471	313	158	11.9	17.6	7.3
80~84	88	60	28	606	379	227	19.7	29.7	12.7
85~89	93	47	46	651	339	312	33.0	47.0	24.9
90~	112	45	67	611	273	338	43.5	73.6	32.7

Temporary registrants = 81, Total of registrants and temporary registrants = 851

Rate: summation / (population*6/12)*100,000

Population: as of 1st Oct. 2024

Table 2. Newly notified sputum smear positive pulmonary TB cases and rates by sex and age, Japan, 2025

	Jun.			Summation (Jan.-Jun.)			Notification rate (per 100,000)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	237	143	94	1,418	888	530	2.3	2.9	1.7
0~4	0	0	0	0	0	0	0.0	0.0	0.0
5~9	0	0	0	0	0	0	0.0	0.0	0.0
10~14	0	0	0	0	0	0	0.0	0.0	0.0
15~19	3	1	2	18	8	10	0.7	0.6	0.8
20~24	17	7	10	82	49	33	2.6	3.0	2.2
25~29	18	11	7	62	34	28	1.9	2.0	1.8
30~34	8	3	5	34	16	18	1.1	1.0	1.2
35~39	3	2	1	18	12	6	0.5	0.7	0.4
40~44	3	3	0	19	17	2	0.5	0.9	0.1
45~49	4	3	1	25	13	12	0.6	0.6	0.6
50~54	7	5	2	56	41	15	1.1	1.7	0.6
55~59	5	4	1	52	42	10	1.2	2.0	0.5
60~64	11	8	3	57	43	14	1.5	2.3	0.7
65~69	12	12	0	59	43	16	1.6	2.4	0.9
70~74	17	12	5	77	58	19	1.9	3.0	0.9
75~79	15	9	6	154	109	45	3.9	6.1	2.1
80~84	38	31	7	235	166	69	7.7	13.0	3.9
85~89	40	18	22	234	123	111	11.9	17.1	8.9
90~	36	14	22	236	114	122	16.8	30.7	11.8

Rate: summation / (population*6/12)*100,000

Population: as of 1st Oct. 2024

Table 3. Newly notified TB cases and rates by prefecture, Japan, 2025

	Jun.		Summation (Jan.-Jun.)		Notification rate (per 100,000)	
	Newly notified TB	Sputum smear (+)	Newly notified TB	Sputum smear (+)	Newly notified TB	Sputum smear (+)
Total	770	237	4,505	1,418	7.3	2.3
Hokkaido	22	8	125	42	5.0	1.7
Aomori	5	3	42	14	7.2	2.4
Iwate	4	0	22	6	3.8	1.0
Miyagi	12	4	50	14	4.4	1.2
Akita	1	1	15	5	3.3	1.1
Yamagata	0	0	23	12	4.6	2.4
Fukushima	7	2	42	15	4.8	1.7
Ibaraki	7	2	112	21	8.0	1.5
Tochigi	11	4	51	18	5.4	1.9
Gunma	9	2	49	13	5.2	1.4
Saitama	61	12	255	82	7.0	2.2
Chiba	40	16	232	76	7.4	2.4
Tokyo	94	31	504	170	7.1	2.4
Kanagawa	48	16	271	88	5.9	1.9
Niigata	12	2	44	5	4.2	0.5
Toyama	5	2	32	14	6.4	2.8
Ishikawa	4	0	45	6	8.2	1.1
Fukui	5	0	28	4	7.6	1.1
Yamanashi	2	2	12	5	3.0	1.3
Nagano	4	3	46	19	4.6	1.9
Gifu	15	3	93	28	9.7	2.9
Shizuoka	19	8	115	39	6.5	2.2
Aichi	51	15	273	67	7.3	1.8
Mie	12	6	73	29	8.5	3.4
Shiga	2	0	43	13	6.1	1.9
Kyoto	27	9	116	44	9.2	3.5
Osaka	72	19	556	187	12.7	4.3
Hyogo	43	13	274	102	10.3	3.8
Nara	8	5	44	23	6.8	3.6
Wakayama	3	2	34	14	7.7	3.2
Tottori	4	1	18	3	6.8	1.1
Shimane	1	0	14	5	4.4	1.6
Okayama	12	2	55	9	6.0	1.0
Hiroshima	11	3	75	28	5.5	2.1
Yamaguchi	4	1	43	11	6.7	1.7
Tokushima	10	3	33	11	9.6	3.2
Kagawa	10	2	39	11	8.5	2.4
Ehime	3	0	31	10	4.9	1.6
Kochi	1	1	13	5	4.0	1.5
Fukuoka	48	18	216	64	8.5	2.5
Saga	5	1	30	13	7.6	3.3
Nagasaki	8	3	51	11	8.1	1.8
Kumamoto	13	5	66	16	7.8	1.9
Oita	8	1	48	10	8.8	1.8
Miyazaki	7	1	31	8	6.0	1.5
Kagoshima	11	2	65	19	8.5	2.5
Okinawa	9	3	56	9	7.6	1.2

Rate: summation / (population*6/12)*100,000

Population: as of 1st Oct. 2024

Table 4. Newly notified TB cases and rates by major city, Japan, 2025

	Jun.		Summation (Jan.-Jun.)		Notification Rate (per 100,000)	
	Newly notified TB	Sputum Smear(+)	Newly notified TB	Sputum Smear(+)	Newly notified TB	Sputum Smear(+)
Total	285	90	1,573	504	8.4	2.7
Sapporo City	6	2	42	16	4.3	1.6
Sendai City	11	3	28	7	5.1	1.3
Saitama City	12	3	46	14	6.8	2.1
Chiba City	8	5	36	16	7.3	3.3
Yokohama City	17	4	117	33	6.2	1.8
Kawasaki City	10	3	55	19	7.1	2.4
Sagamihara City	6	1	25	9	6.9	2.5
Niigata City	3	1	20	4	5.2	1.0
Shizuoka City	5	1	35	8	10.4	2.4
Hamamatsu City	8	4	25	12	6.5	3.1
Nagoya City	25	10	115	35	9.9	3.0
Kyoto City	17	6	76	32	10.6	4.5
Osaka City	26	4	232	64	16.6	4.6
Sakai City	7	3	59	23	14.6	5.7
Kobe City	13	2	100	39	13.4	5.2
Okayama City	0	0	16	2	4.5	0.6
Hiroshima City	5	1	27	7	4.6	1.2
Kitakyushu City	11	4	48	16	10.6	3.5
Fukuoka City	14	7	66	19	8.0	2.3
Kumamoto City	6	2	28	5	7.6	1.4
23-ku area of Tokyo	75	24	377	124	7.6	2.5

Rate: summation / (population*6/12)*100,000

Population: as of 1st Oct. 2024

Major city: city with a population of one million or more.

Table 4 is a re-count of Table 3.

Table 5. LTBI cases and rates by sex and age, Japan, 2025

	Jun.			Summation (Jan.-Jun.)			(Ratio) LTBI/Newly notified cases		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	441	232	209	2,481	1,235	1,246	0.6	0.5	0.7
0~4	18	8	10	147	68	79	12.3	17.0	9.9
5~9	0	0	0	15	9	6	3.8	4.5	3.0
10~14	2	1	1	13	7	6	6.5	3.5	-
15~19	11	4	7	52	18	34	0.9	0.6	1.3
20~24	58	20	38	245	114	131	0.7	0.6	0.8
25~29	45	21	24	181	77	104	0.6	0.5	0.7
30~34	17	7	10	99	49	50	0.6	0.6	0.6
35~39	15	11	4	97	55	42	1.1	1.2	1.1
40~44	16	7	9	86	40	46	1.0	0.8	1.4
45~49	20	8	12	112	40	72	0.9	0.6	1.4
50~54	28	13	15	175	77	98	1.0	0.7	1.5
55~59	26	18	8	151	71	80	1.0	0.7	2.1
60~64	13	6	7	112	62	50	0.7	0.6	0.9
65~69	26	17	9	144	86	58	0.7	0.7	0.8
70~74	48	30	18	231	122	109	0.8	0.6	1.3
75~79	46	31	15	247	144	103	0.5	0.5	0.7
80~84	23	15	8	194	113	81	0.3	0.3	0.4
85~89	22	11	11	121	60	61	0.2	0.2	0.2
90~	7	4	3	59	23	36	0.1	0.1	0.1

LTBI: latent TB Infection

Number of LTBI is not included in the newly notified TB patients

Table 6. LTBI cases and rates by prefecture, Japan, 2025

	Jun.	Summation (Jan.-Jun.)	
	LTBI	LTBI	(Ratio) LTBI / new TB
Total	441	2,481	0.55
Hokkaido	17	105	0.84
Aomori	3	14	0.33
Iwate	2	15	0.68
Miyagi	5	35	0.70
Akita	3	8	0.53
Yamagata	0	7	0.30
Fukushima	3	34	0.81
Ibaraki	8	54	0.48
Tochigi	1	11	0.22
Gunma	8	32	0.65
Saitama	29	166	0.65
Chiba	25	165	0.71
Tokyo	60	323	0.64
Kanagawa	22	143	0.53
Niigata	11	33	0.75
Toyama	1	17	0.53
Ishikawa	9	23	0.51
Fukui	0	10	0.36
Yamanashi	0	8	0.67
Nagano	5	41	0.89
Gifu	5	46	0.49
Shizuoka	4	56	0.49
Aichi	8	69	0.25
Mie	3	20	0.27
Shiga	3	16	0.37
Kyoto	12	49	0.42
Osaka	50	298	0.54
Hyogo	19	117	0.43
Nara	1	21	0.48
Wakayama	4	23	0.68
Tottori	0	1	0.06
Shimane	1	14	1.00
Okayama	9	32	0.58
Hiroshima	6	56	0.75
Yamaguchi	4	26	0.60
Tokushima	2	12	0.36
Kagawa	3	17	0.44
Ehime	1	8	0.26
Kochi	1	7	0.54
Fukuoka	34	142	0.66
Saga	13	18	0.60
Nagasaki	6	14	0.27
Kumamoto	9	31	0.47
Oita	12	36	0.75
Miyazaki	3	23	0.74
Kagoshima	4	22	0.34
Okinawa	12	63	1.13

LTBI: Latent TB Infection

Number of LTBI is not included in the newly notified TB patients.

Table 7. LTBI cases and rates by major city, Japan, 2025

	Jun.	Summation (Jan.-Jun.)	
	LTBI	LTBI	(Ratio) LTBI / new TB
Total	143	867	0.55
Sapporo City	8	42	1.00
Sendai City	0	22	0.79
Saitama City	3	19	0.41
Chiba City	1	18	0.50
Yokohama City	4	48	0.41
Kawasaki City	6	31	0.56
Sagamihara City	1	17	0.68
Niigata City	8	20	1.00
Shizuoka City	0	21	0.60
Hamamatsu City	2	11	0.44
Nagoya City	2	26	0.23
Kyoto City	7	30	0.39
Osaka City	22	123	0.53
Sakai City	7	45	0.76
Kobe City	4	34	0.34
Okayama City	2	17	1.06
Hiroshima City	2	10	0.37
Kitakyushu City	11	32	0.67
Fukuoka City	6	41	0.62
Kumamoto City	1	10	0.36
23-ku area of Tokyo	46	250	0.66

LTBI: Latent TB Infection

Number of LTBI is not included in the newly notified TB patients,

Major city: city with a population of one million or more

Table 7 is a re-count of Table 6