



Monthly Report of Tuberculosis Surveillance, Japan - July, 2025

The reporting and recording of tuberculosis (TB) and Latent TB Infection (LTBI) are managed at public health centers (PHCs) by the nationwide computerized TB surveillance system in Japan. A monthly report is compiled from the database automatically and regularly on 4th Friday of the next month, and an annual report is also produced much like the monthly report, but with sufficient time for data correction.

Tables and figures shown in the monthly reports are as follows.

Figures

Figure 1. Number of newly notified TB cases by month, Japan, 2022-2025

Figure 2. Newly notified TB cases by sex and age, Japan, summation (Jan. -Jul.) 2025

Figure 3. Notification rate of TB cases by sex and age, Japan, summation (Jan. -Jul.) 2025

Figure 4. Notification rate of TB by prefecture, Japan, summation (Jan. -Jul.) 2025

Figure 5. Notification rate of TB by major city, Japan, summation (Jan. -Jul.) 2025

Figure 6. Number of LTBI, Japan, 2022-2025

Figure 7. Number of LTBI by sex and age group, Japan, summation (Jan. -Jul.) 2025

Tables

Table 1. Newly notified TB cases and rates by sex and age, Japan, 2025

Table 2. Newly notified sputum smear positive pulmonary TB cases and rates by sex and age, Japan, 2025

Table 3. Newly notified TB cases and rates by prefecture, Japan, 2025

Table 4. Newly notified TB cases and rates by major city, Japan, 2025

Table 5. LTBI cases and rates by sex and age, Japan, 2025

Table 6. LTBI cases and rates by prefecture, Japan, 2025

Table 7. LTBI cases and rates by major city, Japan, 2025

Figure 1. Number of newly notified TB cases by month, Japan, 2022-2025




Figure 2. Newly notified TB patients by sex and age, Japan, summation (Jan.-Jul.) 2025




Figure 3. Notification rate of TB cases by sex and age, Japan, summation (Jan.-Jul.) 2025




Figure 4. Notification rates of TB by prefecture, Japan, summation (Jan.-Jul.) 2025




Figure 5. Notification rates of TB major city, Japan, summation (Jan.-Jul.) 2025




Figure 6.Number of LTBI, Japan, 2022-2025




Figure 7. Number of LTBI by sex and age group, Japan, summation (Jan.-Jul.) 2025




Table 1. Newly notified TB cases and rates by sex and age, Japan, 2025

	Jul.			Summation (Jan.-Jul.)			Notification rate (per 100,000)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	842	500	342	4,505	2,596	1,909	6.2	7.4	5.1
0~4	1	0	1	12	4	8	0.5	0.3	0.7
5~9	0	0	0	4	2	2	0.1	0.1	0.1
10~14	0	0	0	2	2	0	0.1	0.1	0.0
15~19	8	5	3	55	29	26	1.7	1.8	1.7
20~24	82	43	39	370	207	163	10.1	11.0	9.2
25~29	68	44	24	311	160	151	8.2	8.2	8.2
30~34	33	14	19	163	85	78	4.4	4.4	4.3
35~39	15	9	6	87	47	40	2.2	2.3	2.0
40~44	15	10	5	82	48	34	1.8	2.1	1.6
45~49	19	5	14	121	69	52	2.4	2.7	2.1
50~54	15	9	6	175	108	67	3.1	3.7	2.4
55~59	28	22	6	148	109	39	3.0	4.4	1.6
60~64	29	16	13	160	105	55	3.6	4.8	2.5
65~69	34	26	8	198	126	72	4.7	6.1	3.3
70~74	44	26	18	278	191	87	5.8	8.5	3.4
75~79	105	73	32	471	313	158	10.2	15.0	6.3
80~84	108	68	40	606	379	227	16.9	25.4	10.9
85~89	136	74	62	651	339	312	28.3	40.3	21.4
90~	102	56	46	611	273	338	37.3	63.1	28.0

Temporary registrants = 59, Total of registrants and temporary registrants = 901

Rate: summation / (population*7/12)*100,000

Population: as of 1st Oct. 2024

Table 2. Newly notified sputum smear positive pulmonary TB cases and rates by sex and age, Japan, 2025

	Jul.			Summation (Jan.-Jul.)			Notification rate (per 100,000)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	239	150	89	4,015	2,422	1,593	5.6	6.9	4.3
0~4	0	0	0	8	1	7	0.3	0.1	0.6
5~9	0	0	0	3	2	1	0.1	0.1	0.1
10~14	0	0	0	2	2	0	0.1	0.1	0.0
15~19	3	1	2	59	32	27	1.9	2.0	1.7
20~24	22	10	12	382	209	173	10.5	11.1	9.8
25~29	11	9	2	292	159	133	7.7	8.1	7.2
30~34	8	4	4	154	87	67	4.1	4.5	3.7
35~39	4	1	3	74	42	32	1.8	2.1	1.6
40~44	5	4	1	69	47	22	1.6	2.1	1.0
45~49	5	2	3	106	56	50	2.1	2.2	2.0
50~54	3	3	0	140	93	47	2.5	3.2	1.7
55~59	10	9	1	136	111	25	2.7	4.5	1.0
60~64	9	7	2	143	98	45	3.2	4.5	2.0
65~69	7	7	0	168	120	48	4.0	5.8	2.2
70~74	18	12	6	240	167	73	5.0	7.4	2.9
75~79	28	19	9	425	295	130	9.2	14.2	5.2
80~84	36	23	13	513	332	181	14.3	22.3	8.7
85~89	40	23	17	570	314	256	24.8	37.3	17.5
90~	30	16	14	531	255	276	32.4	58.9	22.9

Rate: summation / (population*7/12)*100,000

Population: as of 1st Oct. 2024

Table 3. Newly notified TB cases and rates by prefecture, Japan, 2025

	Jul.		Summation (Jan.-Jul.)		Notification rate (per 100,000)	
	Newly notified TB	Sputum smear (+)	Newly notified TB	Sputum smear (+)	Newly notified TB	Sputum smear (+)
Total	842	239	5,470	1,710	7.6	2.4
Hokkaido	16	5	149	52	5.1	1.8
Aomori	5	1	48	17	7.1	2.5
Iwate	2	0	26	6	3.9	0.9
Miyagi	12	6	62	21	4.7	1.6
Akita	4	1	21	6	4.0	1.1
Yamagata	0	0	23	11	3.9	1.9
Fukushima	9	1	52	16	5.1	1.6
Ibaraki	11	0	127	21	7.8	1.3
Tochigi	7	1	58	20	5.3	1.8
Gunma	11	3	62	17	5.6	1.5
Saitama	46	14	302	99	7.1	2.3
Chiba	49	17	286	97	7.8	2.7
Tokyo	109	32	616	206	7.4	2.5
Kanagawa	44	13	322	103	6.0	1.9
Niigata	5	1	49	6	4.0	0.5
Toyama	3	1	36	15	6.2	2.6
Ishikawa	5	1	52	7	8.1	1.1
Fukui	5	1	34	5	7.9	1.2
Yamanashi	5	1	17	6	3.7	1.3
Nagano	10	6	57	25	4.9	2.2
Gifu	22	7	117	35	10.5	3.1
Shizuoka	16	2	139	44	6.8	2.1
Aichi	52	14	336	87	7.7	2.0
Mie	13	7	87	37	8.7	3.7
Shiga	3	0	46	13	5.6	1.6
Kyoto	24	8	140	52	9.5	3.5
Osaka	94	28	679	225	13.3	4.4
Hyogo	51	19	324	123	10.4	4.0
Nara	16	5	60	28	8.0	3.7
Wakayama	6	2	40	16	7.8	3.1
Tottori	4	0	23	4	7.4	1.3
Shimane	0	0	16	5	4.3	1.3
Okayama	10	0	67	11	6.3	1.0
Hiroshima	15	2	94	30	5.9	1.9
Yamaguchi	8	2	54	13	7.2	1.7
Tokushima	8	4	41	16	10.3	4.0
Kagawa	9	2	49	14	9.2	2.6
Ehime	10	2	42	12	5.6	1.6
Kochi	3	0	16	5	4.2	1.3
Fukuoka	44	9	263	73	8.9	2.5
Saga	7	1	37	14	8.0	3.0
Nagasaki	7	2	61	13	8.4	1.8
Kumamoto	24	7	93	24	9.4	2.4
Oita	8	3	56	13	8.8	2.1
Miyazaki	12	5	45	13	7.5	2.2
Kagoshima	9	1	80	23	9.0	2.6
Okinawa	9	2	66	11	7.7	1.3

Rate: summation / (population*7/12)*100,000

Population: as of 1st Oct. 2024

Table 4. Newly notified TB cases and rates by major city, Japan, 2025

	Jul.		Summation (Jan.-Jul.)		Notification Rate (per 100,000)	
	Newly notified TB	Sputum Smear(+)	Newly notified TB	Sputum Smear(+)	Newly notified TB	Sputum Smear(+)
Total	298	75	1,918	599	8.7	2.7
Sapporo City	6	0	48	16	4.2	1.4
Sendai City	8	3	37	10	5.8	1.6
Saitama City	5	1	51	17	6.5	2.2
Chiba City	12	4	48	20	8.4	3.5
Yokohama City	24	7	146	40	6.6	1.8
Kawasaki City	5	1	61	21	6.7	2.3
Sagamihara City	7	0	32	9	7.6	2.1
Niigata City	3	1	23	5	5.1	1.1
Shizuoka City	2	0	37	8	9.4	2.0
Hamamatsu City	6	0	31	12	6.9	2.7
Nagoya City	25	11	140	47	10.3	3.5
Kyoto City	13	4	89	36	10.6	4.3
Osaka City	28	5	290	79	17.8	4.9
Sakai City	6	3	65	26	13.8	5.5
Kobe City	18	7	118	46	13.6	5.3
Okayama City	2	0	20	4	4.8	1.0
Hiroshima City	5	0	36	7	5.2	1.0
Kitakyushu City	10	3	58	19	10.9	3.6
Fukuoka City	12	0	78	19	8.1	2.0
Kumamoto City	9	2	37	7	8.6	1.6
23-ku area of Tokyo	92	23	473	151	8.2	2.6

Rate: summation / (population*7/12)*100,000

Population: as of 1st Oct. 2024

Major city: city with a population of one million or more.

Table 4 is a re-count of Table 3.

Table 5. LTBI cases and rates by sex and age, Japan, 2025

	Jul.			Summation (Jan.-Jul.)			(Ratio) LTBI/Newly notified cases		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	387	186	201	1,455	744	711	0.3	0.3	0.4
0~4	20	8	12	4	2	2	0.3	0.5	0.3
5~9	1	0	1	1	0	1	0.3	0.0	0.5
10~14	0	0	0	0	0	0	0.0	0.0	-
15~19	14	4	10	6	3	3	0.1	0.1	0.1
20~24	33	19	14	82	46	36	0.2	0.2	0.2
25~29	25	9	16	97	52	45	0.3	0.3	0.3
30~34	21	10	11	48	15	33	0.3	0.2	0.4
35~39	11	5	6	30	15	15	0.3	0.3	0.4
40~44	18	6	12	31	13	18	0.4	0.3	0.5
45~49	20	8	12	35	19	16	0.3	0.3	0.3
50~54	21	11	10	53	26	27	0.3	0.2	0.4
55~59	30	12	18	43	21	22	0.3	0.2	0.6
60~64	36	18	18	51	27	24	0.3	0.3	0.4
65~69	19	8	11	68	33	35	0.3	0.3	0.5
70~74	29	16	13	91	57	34	0.3	0.3	0.4
75~79	32	20	12	165	101	64	0.4	0.3	0.4
80~84	31	18	13	216	122	94	0.4	0.3	0.4
85~89	16	10	6	233	108	125	0.4	0.3	0.4
90~	10	4	6	201	84	117	0.3	0.3	0.3

LTBI: latent TB Infection

Number of LTBI is not included in the newly notified TB patients

Table 6. LTBI cases and rates by prefecture, Japan, 2025

	Jul.	Summation (Jan.-Jul.)	
	LTBI	LTBI	(Ratio) LTBI / new TB
Total	387	2,944	0.54
Hokkaido	14	119	0.80
Aomori	2	16	0.33
Iwate	1	17	0.65
Miyagi	6	44	0.71
Akita	0	9	0.43
Yamagata	0	7	0.30
Fukushima	2	36	0.69
Ibaraki	4	60	0.47
Tochigi	3	16	0.28
Gunma	14	46	0.74
Saitama	28	196	0.65
Chiba	29	201	0.70
Tokyo	39	367	0.60
Kanagawa	17	164	0.51
Niigata	1	35	0.71
Toyama	5	23	0.64
Ishikawa	5	28	0.54
Fukui	0	10	0.29
Yamanashi	2	10	0.59
Nagano	8	49	0.86
Gifu	6	55	0.47
Shizuoka	11	70	0.50
Aichi	22	93	0.28
Mie	5	25	0.29
Shiga	3	19	0.41
Kyoto	9	59	0.42
Osaka	47	365	0.54
Hyogo	23	140	0.43
Nara	9	30	0.50
Wakayama	1	26	0.65
Tottori	1	2	0.09
Shimane	1	15	0.94
Okayama	2	35	0.52
Hiroshima	7	66	0.70
Yamaguchi	9	41	0.76
Tokushima	1	13	0.32
Kagawa	4	21	0.43
Ehime	3	11	0.26
Kochi	0	7	0.44
Fukuoka	19	164	0.62
Saga	2	20	0.54
Nagasaki	1	15	0.25
Kumamoto	4	35	0.38
Oita	4	40	0.71
Miyazaki	7	31	0.69
Kagoshima	4	26	0.33
Okinawa	2	67	1.02

LTBI: Latent TB Infection

Number of LTBI is not included in the newly notified TB patients.

Table 7. LTBI cases and rates by major city, Japan, 2025

	Jul.	Summation (Jan.-Jul.)	
	LTBI	LTBI	(Ratio) LTBI / new TB
Total	126	1,023	0.53
Sapporo City	3	45	0.94
Sendai City	3	27	0.73
Saitama City	0	19	0.37
Chiba City	6	24	0.50
Yokohama City	7	58	0.40
Kawasaki City	4	35	0.57
Sagamihara City	1	18	0.56
Niigata City	1	21	0.91
Shizuoka City	2	23	0.62
Hamamatsu City	5	16	0.52
Nagoya City	13	39	0.28
Kyoto City	5	36	0.40
Osaka City	22	162	0.56
Sakai City	5	51	0.78
Kobe City	6	40	0.34
Okayama City	1	19	0.95
Hiroshima City	1	11	0.31
Kitakyushu City	5	37	0.64
Fukuoka City	6	47	0.60
Kumamoto City	0	10	0.27
23-ku area of Tokyo	30	285	0.60

LTBI: Latent TB Infection

Number of LTBI is not included in the newly notified TB patients,

Major city: city with a population of one million or more

Table 7 is a re-count of Table 6