



Monthly Report of Tuberculosis Surveillance, Japan - August, 2025

The reporting and recording of tuberculosis (TB) and Latent TB Infection (LTBI) are managed at public health centers (PHCs) by the nationwide computerized TB surveillance system in Japan. A monthly report is compiled from the database automatically and regularly on 4th Friday of the next month, and an annual report is also produced much like the monthly report, but with sufficient time for data correction.

Tables and figures shown in the monthly reports are as follows.

Figures

Figure 1. Number of newly notified TB cases by month, Japan, 2022-2025

Figure 2. Newly notified TB cases by sex and age, Japan, summation (Jan. -Aug.) 2025

Figure 3. Notification rate of TB cases by sex and age, Japan, summation (Jan. -Aug.) 2025

Figure 4. Notification rate of TB by prefecture, Japan, summation (Jan. -Aug.) 2025

Figure 5. Notification rate of TB by major city, Japan, summation (Jan. -Aug.) 2025

Figure 6. Number of LTBI, Japan, 2022-2025

Figure 7. Number of LTBI by sex and age group, Japan, summation (Jan. -Aug.) 2025

Tables

Table 1. Newly notified TB cases and rates by sex and age, Japan, 2025

Table 2. Newly notified sputum smear positive pulmonary TB cases and rates by sex and age, Japan, 2025

Table 3. Newly notified TB cases and rates by prefecture, Japan, 2025

Table 4. Newly notified TB cases and rates by major city, Japan, 2025

Table 5. LTBI cases and rates by sex and age, Japan, 2025

Table 6. LTBI cases and rates by prefecture, Japan, 2025

Table 7. LTBI cases and rates by major city, Japan, 2025

Figure 1. Number of newly notified TB cases by month, Japan, 2022-2025




Figure 2. Newly notified TB patients by sex and age, Japan, summation (Jan.-Aug.) 2025




Figure 3. Notification rate of TB cases by sex and age, Japan, summation (Jan.-Aug.) 2025




Figure 4. Notification rates of TB by prefecture, Japan, summation (Jan.-Aug.) 2025




Figure 5. Notification rates of TB major city, Japan, summation (Jan.-Aug.) 2025




Figure 6.Number of LTBI, Japan, 2022-2025




Figure 7. Number of LTBI by sex and age group, Japan, summation (Jan.-Aug.) 2025




Table 1. Newly notified TB cases and rates by sex and age, Japan, 2025

	Aug.			Summation (Jan.-Aug.)			Notification rate (per 100,000)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	741	394	347	6,317	3,619	2,698	7.7	9.0	6.4
0~4	2	1	1	14	4	10	0.5	0.3	0.8
5~9	3	2	1	7	4	3	0.2	0.2	0.2
10~14	0	0	0	2	2	0	0.1	0.1	0.0
15~19	10	4	6	77	40	37	2.1	2.1	2.1
20~24	80	33	47	556	293	263	13.3	13.6	13.0
25~29	57	32	25	456	249	207	10.5	11.1	9.8
30~34	30	13	17	235	118	117	5.5	5.4	5.6
35~39	23	9	14	129	67	62	2.8	2.9	2.8
40~44	17	8	9	118	68	50	2.3	2.6	2.0
45~49	21	10	11	163	86	77	2.8	2.9	2.7
50~54	30	22	8	226	142	84	3.5	4.3	2.6
55~59	21	8	13	204	144	60	3.6	5.1	2.1
60~64	17	11	6	212	139	73	4.2	5.6	2.9
65~69	25	17	8	271	178	93	5.6	7.5	3.7
70~74	37	22	15	374	249	125	6.8	9.6	4.3
75~79	67	48	19	670	454	216	12.7	19.1	7.5
80~84	105	63	42	850	524	326	20.8	30.8	13.6
85~89	93	48	45	905	474	431	34.4	49.3	25.8
90~	103	43	60	848	384	464	45.3	77.6	33.7

Temporary registrants = 60, Total of registrants and temporary registrants = 801

Rate: summation / (population*8/12)*100,000

Population: as of 1st Oct. 2024

Table 2. Newly notified sputum smear positive pulmonary TB cases and rates by sex and age, Japan, 2025

	Aug.			Summation (Jan.-Aug.)			Notification rate (per 100,000)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	202	114	88	1,949	1,204	745	2.4	3.0	1.8
0~4	0	0	0	0	0	0	0.0	0.0	0.0
5~9	0	0	0	0	0	0	0.0	0.0	0.0
10~14	0	0	0	0	0	0	0.0	0.0	0.0
15~19	2	0	2	24	10	14	0.7	0.5	0.8
20~24	18	9	9	128	71	57	3.1	3.3	2.8
25~29	9	5	4	90	53	37	2.1	2.4	1.8
30~34	7	3	4	51	25	26	1.2	1.1	1.3
35~39	1	1	0	25	14	11	0.5	0.6	0.5
40~44	3	0	3	29	22	7	0.6	0.9	0.3
45~49	5	2	3	37	19	18	0.6	0.6	0.6
50~54	5	5	0	66	50	16	1.0	1.5	0.5
55~59	9	6	3	73	58	15	1.3	2.0	0.5
60~64	4	3	1	73	56	17	1.4	2.2	0.7
65~69	5	5	0	74	56	18	1.5	2.4	0.7
70~74	13	7	6	113	81	32	2.1	3.1	1.1
75~79	27	21	6	221	160	61	4.2	6.7	2.1
80~84	26	17	9	307	209	98	7.5	12.3	4.1
85~89	33	16	17	323	170	153	12.3	17.7	9.2
90~	35	14	21	315	150	165	16.8	30.3	12.0

Rate: summation / (population*8/12)*100,000

Population: as of 1st Oct. 2024

Table 3. Newly notified TB cases and rates by prefecture, Japan, 2025

	Aug.		Summation (Jan.-Aug.)		Notification rate (per 100,000)	
	Newly notified TB	Sputum smear (+)	Newly notified TB	Sputum smear (+)	Newly notified TB	Sputum smear (+)
Total	741	202	6,317	1,949	7.7	2.4
Hokkaido	24	6	179	61	5.3	1.8
Aomori	8	3	56	20	7.2	2.6
Iwate	5	1	32	7	4.2	0.9
Miyagi	5	1	67	22	4.5	1.5
Akita	6	3	27	9	4.5	1.5
Yamagata	3	1	26	13	3.9	1.9
Fukushima	5	2	57	18	4.9	1.5
Ibaraki	22	5	152	26	8.1	1.4
Tochigi	4	2	62	22	4.9	1.8
Gunma	3	0	71	20	5.6	1.6
Saitama	36	11	340	112	7.0	2.3
Chiba	47	11	332	109	8.0	2.6
Tokyo	103	24	726	233	7.7	2.5
Kanagawa	55	16	386	121	6.3	2.0
Niigata	4	2	55	8	3.9	0.6
Toyama	4	2	42	19	6.3	2.9
Ishikawa	5	1	58	9	7.9	1.2
Fukui	2	1	36	6	7.3	1.2
Yamanashi	2	1	18	6	3.4	1.1
Nagano	6	4	64	30	4.8	2.3
Gifu	17	5	137	40	10.7	3.1
Shizuoka	15	3	162	52	6.9	2.2
Aichi	42	9	381	95	7.7	1.9
Mie	9	1	97	39	8.5	3.4
Shiga	4	0	53	13	5.7	1.4
Kyoto	13	5	153	58	9.1	3.5
Osaka	73	25	766	255	13.1	4.4
Hyogo	44	14	370	138	10.4	3.9
Nara	15	4	75	32	8.8	3.7
Wakayama	3	2	44	19	7.5	3.2
Tottori	4	0	27	4	7.6	1.1
Shimane	0	0	16	5	3.7	1.2
Okayama	11	2	92	15	7.5	1.2
Hiroshima	11	2	107	32	5.9	1.8
Yamaguchi	7	1	64	15	7.5	1.8
Tokushima	6	2	47	18	10.3	3.9
Kagawa	4	2	53	16	8.7	2.6
Ehime	7	2	50	14	5.9	1.6
Kochi	2	0	19	5	4.3	1.1
Fukuoka	43	12	307	85	9.0	2.5
Saga	3	0	40	14	7.6	2.7
Nagasaki	14	4	74	16	8.9	1.9
Kumamoto	10	2	103	26	9.1	2.3
Oita	9	2	66	17	9.1	2.3
Miyazaki	2	0	47	13	6.8	1.9
Kagoshima	12	2	95	27	9.3	2.6
Okinawa	12	4	86	15	8.8	1.5

Rate: summation / (population*8/12)*100,000

Population: as of 1st Oct. 2024

Table 4. Newly notified TB cases and rates by major city, Japan, 2025

	Aug.		Summation (Jan.-Aug.)		Notification Rate (per 100,000)	
	Newly notified TB	Sputum Smear(+)	Newly notified TB	Sputum Smear(+)	Newly notified TB	Sputum Smear(+)
Total	260	79	2,223	691	8.9	2.8
Sapporo City	11	3	63	21	4.8	1.6
Sendai City	2	0	39	10	5.3	1.4
Saitama City	3	1	54	18	6.0	2.0
Chiba City	5	3	53	24	8.1	3.7
Yokohama City	26	6	178	47	7.1	1.9
Kawasaki City	11	9	73	30	7.1	2.9
Sagamihara City	2	0	34	9	7.0	1.9
Niigata City	3	2	26	7	5.1	1.4
Shizuoka City	3	2	45	12	10.0	2.7
Hamamatsu City	7	0	38	12	7.4	2.3
Nagoya City	18	5	158	51	10.2	3.3
Kyoto City	7	4	96	40	10.0	4.2
Osaka City	22	5	322	88	17.3	4.7
Sakai City	14	8	79	34	14.7	6.3
Kobe City	11	4	129	50	13.0	5.0
Okayama City	3	1	37	7	7.8	1.5
Hiroshima City	5	1	41	8	5.2	1.0
Kitakyushu City	10	5	68	24	11.2	4.0
Fukuoka City	14	2	92	21	8.3	1.9
Kumamoto City	5	2	42	9	8.5	1.8
23-ku area of Tokyo	78	16	556	169	8.4	2.6

Rate: summation / (population*8/12)*100,000

Population: as of 1st Oct. 2024

Major city: city with a population of one million or more.

Table 4 is a re-count of Table 3.

Table 5. LTBI cases and rates by sex and age, Japan, 2025

	Aug.			Summation (Jan.-Aug.)			(Ratio) LTBI/Newly notified cases		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	356	165	191	3,352	1,650	1,702	0.5	0.5	0.6
0～4	12	5	7	186	86	100	13.3	21.5	10.0
5～9	6	2	4	25	12	13	3.6	3.0	4.3
10～14	3	2	1	16	9	7	8.0	4.5	-
15～19	6	2	4	73	24	49	0.9	0.6	1.3
20～24	29	20	9	324	162	162	0.6	0.6	0.6
25～29	26	12	14	237	101	136	0.5	0.4	0.7
30～34	16	10	6	146	74	72	0.6	0.6	0.6
35～39	17	6	11	130	67	63	1.0	1.0	1.0
40～44	16	5	11	121	50	71	1.0	0.7	1.4
45～49	14	7	7	148	56	92	0.9	0.7	1.2
50～54	23	6	17	227	99	128	1.0	0.7	1.5
55～59	23	9	14	211	96	115	1.0	0.7	1.9
60～64	20	15	5	170	97	73	0.8	0.7	1.0
65～69	16	7	9	188	106	82	0.7	0.6	0.9
70～74	27	12	15	302	157	145	0.8	0.6	1.2
75～79	35	19	16	325	188	137	0.5	0.4	0.6
80～84	37	21	16	273	158	115	0.3	0.3	0.4
85～89	17	3	14	164	77	87	0.2	0.2	0.2
90～	13	2	11	86	31	55	0.1	0.1	0.1

LTBI: latent TB Infection

Number of LTBI is not included in the newly notified TB patients

Table 6. LTBI cases and rates by prefecture, Japan, 2025

	Aug.	Summation (Jan.-Aug.)	
	LTBI	LTBI	(Ratio) LTBI / new TB
Total	356	3,352	0.53
Hokkaido	17	145	0.81
Aomori	0	16	0.29
Iwate	0	17	0.53
Miyagi	4	48	0.72
Akita	2	11	0.41
Yamagata	1	8	0.31
Fukushima	2	40	0.70
Ibaraki	8	70	0.46
Tochigi	5	21	0.34
Gunma	4	51	0.72
Saitama	15	210	0.62
Chiba	19	221	0.67
Tokyo	41	409	0.56
Kanagawa	31	198	0.51
Niigata	2	37	0.67
Toyama	1	24	0.57
Ishikawa	1	32	0.55
Fukui	1	11	0.31
Yamanashi	2	12	0.67
Nagano	5	54	0.84
Gifu	8	63	0.46
Shizuoka	5	82	0.51
Aichi	22	118	0.31
Mie	4	30	0.31
Shiga	4	24	0.45
Kyoto	8	67	0.44
Osaka	34	402	0.52
Hyogo	28	169	0.46
Nara	5	35	0.47
Wakayama	5	31	0.70
Tottori	1	3	0.11
Shimane	1	16	1.00
Okayama	7	51	0.55
Hiroshima	7	74	0.69
Yamaguchi	6	48	0.75
Tokushima	2	15	0.32
Kagawa	3	24	0.45
Ehime	1	12	0.24
Kochi	1	8	0.42
Fukuoka	27	191	0.62
Saga	1	21	0.53
Nagasaki	3	18	0.24
Kumamoto	0	35	0.34
Oita	1	41	0.62
Miyazaki	3	33	0.70
Kagoshima	5	31	0.33
Okinawa	3	75	0.87

LTBI: Latent TB Infection

Number of LTBI is not included in the newly notified TB patients.

Table 7. LTBI cases and rates by major city, Japan, 2025

	Aug.	Summation (Jan.-Aug.)	
	LTBI	LTBI	(Ratio) LTBI / new TB
Total	127	1,179	0.53
Sapporo City	11	63	1.00
Sendai City	3	30	0.77
Saitama City	1	20	0.37
Chiba City	4	28	0.53
Yokohama City	12	72	0.40
Kawasaki City	2	37	0.51
Sagamihara City	4	22	0.65
Niigata City	0	21	0.81
Shizuoka City	0	29	0.64
Hamamatsu City	1	17	0.45
Nagoya City	9	49	0.31
Kyoto City	6	42	0.44
Osaka City	16	179	0.56
Sakai City	4	55	0.70
Kobe City	6	46	0.36
Okayama City	1	29	0.78
Hiroshima City	3	15	0.37
Kitakyushu City	5	42	0.62
Fukuoka City	10	57	0.62
Kumamoto City	0	10	0.24
23-ku area of Tokyo	29	316	0.57

LTBI: Latent TB Infection

Number of LTBI is not included in the newly notified TB patients,

Major city: city with a population of one million or more

Table 7 is a re-count of Table 6